30

## CLAIMS

What is claimed is:

5

1. A method for processing digital certificates within a data processing system, the method comprising:

determining a set of trust relations between a set of certificate authorities (CAs) in a trust web;

representing the set of trust relations in an adjacency matrix, wherein a cell in the adjacency matrix corresponds to a pair of certificate authorities;

performing a transitive closure computation on the adjacency matrix to generate a set of inter-CA trust path indicators that represent whether a trust path exists between a pair of certificate authorities; and

performing an all-pairs-shortest-paths computation on the adjacency matrix to generate multiple sets of shortest trust paths between the certificate authorities.

- 2. The method of claim 1 further comprising: initiating a secure communication with a requester; receiving a digital certificate for the requester; and
- validating the digital certificate in accordance with an inter-CA trust path indicator and/or a shortest trust path.
  - 3. The method of claim 2 wherein the digital certificate is formatted according to X.509 standards.

10

4. An apparatus for processing digital certificates within a data processing system, the apparatus comprising:

means for determining a set of trust relations between a set of certificate authorities (CAs) in a trust web;

means for representing the set of trust relations in an adjacency matrix, wherein a cell in the adjacency matrix corresponds to a pair of certificate authorities;

means for performing a transitive closure computation on the adjacency matrix to generate a set of inter-CA trust path indicators that represent whether a trust path exists between a pair of certificate authorities; and

means for performing an all-pairs-shortest-paths computation on the adjacency matrix to generate multiple sets of shortest trust paths between the certificate authorities.

5. The apparatus of claim 4 further comprising: means for initiating a secure communication with a requester;

means for receiving a digital certificate for the requester; and

- 25 means for validating the digital certificate in accordance with an inter-CA trust path indicator and/or a shortest trust path.
- 6. The apparatus of claim 5 wherein the digital certificate is formatted according to X.509 standards.

30

10

- 7. A computer program product in a computer-readable medium for use in a data processing system for processing digital certificates, the computer program product comprising:
- instructions for determining a set of trust relations between a set of certificate authorities (CAs) in a trust web;

instructions for representing the set of trust relations in an adjacency matrix, wherein a cell in the adjacency matrix corresponds to a pair of certificate authorities;

instructions for performing a transitive closure computation on the adjacency matrix to generate a set of inter-CA trust path indicators that represent whether a trust path exists between a pair of certificate authorities; and

instructions for performing an all-pairs-shortest-paths computation on the adjacency matrix to generate multiple sets of shortest trust paths between the certificate authorities.

8. The computer program product of claim 7 further comprising:

instructions for initiating a secure communication with a requester;

instructions for receiving a digital certificate for the requester; and

instructions for validating the digital certificate in accordance with an inter-CA trust path indicator and/or a shortest trust path.

9. The computer program product of claim 8 wherein the digital certificate is formatted according to X.509 standards.

10

10. A method for operating certificate authorities within a data processing system, the method comprising:

establishing at a first certificate authority (CA) a trust relation with a second certificate authority; and

sending a trust relation update message to a central trust web agent, wherein the central trust web agent processes trust relation information for a set of certificate authorities within a trust web.

11. The method of claim 10 further comprising:

receiving at the first certificate authority from
the central trust web agent a set of inter-CA trust path
indicators that represent whether a trust path exists
between the first certificate authority and other
certificate authorities in the trust web; and

receiving at the first certificate authority from the central trust web agent a set of shortest trust paths between the first certificate authority and other certificate authorities in the trust web.

- 12. The method of claim 11 further comprising: initiating a secure communication with a requester; receiving a digital certificate for the requester; and
- validating the digital certificate in accordance with an inter-CA trust path indicator and/or a shortest trust path.
- 13. The method of claim 12 wherein the digital30 certificate is formatted according to X.509 standards.

30

5

10

14. An apparatus for processing information related to operations of certificate authorities within a data processing system, the apparatus comprising:

means for establishing at a first certificate authority (CA) a trust relation with a second certificate authority; and

means for sending a trust relation update message to a central trust web agent, wherein the central trust web agent processes trust relation information for a set of certificate authorities within a trust web.

15. The apparatus of claim 14 further comprising:
 means for receiving at the first certificate
authority from the central trust web agent a set of
inter-CA trust path indicators that represent whether a
trust path exists between the first certificate authority

means for receiving at the first certificate authority from the central trust web agent a set of shortest trust paths between the first certificate authority and other certificate authorities in the trust web.

and other certificate authorities in the trust web; and

16. The apparatus of claim 14 further comprising: means for initiating a secure communication with a requester;

means for receiving a digital certificate for the requester; and

means for validating the digital certificate in accordance with an inter-CA trust path indicator and/or a shortest trust path.

17. The apparatus of claim 16 wherein the digital certificate is formatted according to X.509 standards.

The land of the la

25

5

10

18. A computer program product in a computer-readable medium for use in a data processing system for processing information related to operations of certificate authorities within a data processing system, the computer program product comprising:

instructions for establishing at a first certificate authority (CA) a trust relation with a second certificate authority; and

instructions for sending a trust relation update message to a central trust web agent, wherein the central trust web agent processes trust relation information for a set of certificate authorities within a trust web.

19. The computer program product of claim 18 further comprising:

instructions for receiving at the first certificate authority from the central trust web agent a set of inter-CA trust path indicators that represent whether a trust path exists between the first certificate authority and other certificate authorities in the trust web; and

instructions for receiving at the first certificate authority from the central trust web agent a set of shortest trust paths between the first certificate authority and other certificate authorities in the trust web.

10

20. The computer program product of claim 18 further comprising:

instructions for initiating a secure communication with a requester;

instructions for receiving a digital certificate for the requester; and

instructions for validating the digital certificate in accordance with an inter-CA trust path indicator and/or a shortest trust path.

21. The computer program product of claim 20 wherein the digital certificate is formatted according to X.509 standards.

22. A method for operating certificate authorities within a data processing system, the method comprising:

receiving at a central trust web agent from a certificate authority (CA) a trust relation update message, wherein the central trust web agent processes trust relation information for a set of certificate authorities within a trust web, and wherein the trust relation update message indicates a change in a set of trust relations for the certificate authority; and

modifying a set of trust relations for the set of certificate authorities within the trust web based on an indicated request in the trust relation update message.

23. The method of claim 22 further comprising:

sending to the certificate authority from the central trust web agent a set of inter-CA trust path indicators that represent whether a trust path exists between the certificate authority and other certificate authorities in the trust web; and

sending to the certificate authority from the central trust web agent a set of shortest trust paths between the certificate authority and other certificate authorities in the trust web.

10

24. The method of claim 22 further comprising:

representing the set of trust relations in an adjacency matrix, wherein a cell in the adjacency matrix corresponds to a pair of certificate authorities;

performing a transitive closure computation on the adjacency matrix to generate a set of inter-CA trust path indicators that represent whether a trust path exists between a pair of certificate authorities; and

performing an all-pairs-shortest-paths computation on the adjacency matrix to generate multiple sets of shortest trust paths between the certificate authorities.

5

10

25. An apparatus for processing information related to operations of certificate authorities within a data processing system, the apparatus comprising:

means for receiving at a central trust web agent from a certificate authority (CA) a trust relation update message, wherein the central trust web agent processes trust relation information for a set of certificate authorities within a trust web, and wherein the trust relation update message indicates a change in a set of trust relations for the certificate authority; and

means for modifying a set of trust relations for the set of certificate authorities within the trust web based on an indicated request in the trust relation update message.

26. The apparatus of claim 25 further comprising:

means for sending to the certificate authority from the central trust web agent a set of inter-CA trust path indicators that represent whether a trust path exists between the certificate authority and other certificate authorities in the trust web; and

means for sending to the certificate authority from the central trust web agent a set of shortest trust paths between the certificate authority and other certificate authorities in the trust web.

10

27. The apparatus of claim 25 further comprising:

means for representing the set of trust relations in an adjacency matrix, wherein a cell in the adjacency matrix corresponds to a pair of certificate authorities;

means for performing a transitive closure computation on the adjacency matrix to generate a set of inter-CA trust path indicators that represent whether a trust path exists between a pair of certificate authorities; and

means for performing an all-pairs-shortest-paths computation on the adjacency matrix to generate multiple sets of shortest trust paths between the certificate authorities.

25

5

28. A computer program product in a computer-readable medium for use in a data processing system for processing information related to operations of certificate authorities within a data processing system, the computer program product comprising:

instructions for receiving at a central trust web agent from a certificate authority (CA) a trust relation update message, wherein the central trust web agent processes trust relation information for a set of certificate authorities within a trust web, and wherein the trust relation update message indicates a change in a set of trust relations for the certificate authority; and

instructions for modifying a set of trust relations for the set of certificate authorities within the trust web based on an indicated request in the trust relation update message.

29. The computer program product of claim 28 further comprising:

instructions for sending to the certificate authority from the central trust web agent a set of inter-CA trust path indicators that represent whether a trust path exists between the certificate authority and other certificate authorities in the trust web; and

instructions for sending to the certificate authority from the central trust web agent a set of shortest trust paths between the certificate authority and other certificate authorities in the trust web.

10

30. The computer program product of claim 28 further comprising:

instructions for representing the set of trust relations in an adjacency matrix, wherein a cell in the adjacency matrix corresponds to a pair of certificate authorities;

instructions for performing a transitive closure computation on the adjacency matrix to generate a set of inter-CA trust path indicators that represent whether a trust path exists between a pair of certificate authorities; and

instructions for performing an all-pairs-shortest-paths computation on the adjacency matrix to generate multiple sets of shortest trust paths between the certificate authorities.

10

31. A method for operating certificate authorities within a data processing system, the method comprising:

generating trust paths at a central trust web agent for certificate authorities in a trust web using a greed algorithm; and

disseminating the generated trust paths by the central trust web agent to the certificate authorities.

32. The method of claim 31 wherein the trust paths are generated when a new certificate authority joins the trust web or when a certificate authority changes a trust relation with another certificate authority.

33. An apparatus for operating certificate authorities within a data processing system, the apparatus comprising:

means for generating trust paths at a central trust web agent for certificate authorities in a trust web using a greed algorithm; and

means for disseminating the generated trust paths by the central trust web agent to the certificate authorities.

10

5

34. The apparatus of claim 33 wherein the trust paths are generated when a new certificate authority joins the trust web or when a certificate authority changes a trust relation with another certificate authority.

10

35. A computer program product in a computer-readable medium for use in a data processing system for processing information related to operations of certificate authorities within a data processing system, the computer program product comprising:

instructions for generating trust paths at a central trust web agent for certificate authorities in a trust web using a greed algorithm; and

instructions for disseminating the generated trust paths by the central trust web agent to the certificate authorities.

36. The computer program product of claim 35 wherein the trust paths are generated when a new certificate authority joins the trust web or when a certificate authority changes a trust relation with another certificate authority.